



O-Ring CR, DN 500 ISO-K




O-Ring



O-Ring CR, DN 500 ISO-K

- Quantities: Item no. suffix -S1 = 1 piece; -S5 = 5 pieces

Dimensions



A	507 mm
B	7 mm

Technical Data

Technical Data	O-Ring CR, DN 500 ISO-K
Temperature range min.	-5 °C
Temperature range max.	120 °C
Package	1 pcs.
O-ring material	CR
Temperature range	-5 – 120 °C
Connection flange	DN 500 ISO-K
Temperature range max.	120 °C 248 °F 393.15 K
Temperature range min.	-5 °C 23 °F 268.15 K

Order number

Order number	O-Ring CR, DN 500 ISO-K
O-Ring CR, DN 500 ISO-K	306DOR500-S1

Your Success. Our Passion.

We give our best for you every day –
worldwide!

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 11/1/2024

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER  **VACUUM**