


**Welded flange ring,  
stainless steel  
304/1.4301, DN 63 ISO-K**

---




# Welding flange ring



Welded flange ring, stainless steel 304/1.4301, DN 63 ISO-K

## Dimensions



|       |         |
|-------|---------|
| A     | 95 mm   |
| B     | 70 mm   |
| C     | 12 mm   |
| SD SD | 70.3 mm |
| SE SE | 7 mm    |

## Technical Data

| Technical Data                  | Welded flange ring, stainless steel 304/1.4301, DN 63 ISO-K  |
|---------------------------------|--|
| Temperature range min.          | -196 °C  |
| Temperature range max.          | 300 °C   |
| Materials in contact with media | Stainless steel 1.4301 (AISI 304)  |
| Pipe dimension                  | 70 mm × 2 mm   |
| Temperature range               | -196 – 300 °C  |
| Connection flange               | DN 63 ISO-K  |
| Pressure range                  | 1E-8 hPa – 1.5E3 hPa over pressure (elastomer seal); 1E-9 hPa – 1.5E3 hPa over pressure (metal s · 10al) |
| Temperature range max.          | 300 °C   572 °F   573.15 K   |
| Temperature range min.          | -196 °C   -320.8 °F   77.15 K  |

## Order number

| Order number  | Welded flange ring, stainless steel 304/1.4301, DN 63 ISO-K |
|---|---|
| Welded flange ring, stainless steel 304/1.4301, DN 63 ISO-K | 320FAN063-70  |

## Your Success. Our Passion.

We give our best for you every day –  
worldwide!

Are you looking for an optimum vacuum solution?

Talk to us:

**Pfeiffer Vacuum Components & Solutions GmbH Germany**

**T +49 551 99963-0**

**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 11/1/2024

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER**  **VACUUM**